	DECLARATION OF PERIOR	AIAIACL	KING		
	No. 201/2020 of 01.05.20	21	KLINKER		
1.	Product type unique identification code: Mass no. 1 (Red), mass no.2 (Brown)				
1.	Clinker window sill cladding tile				
2.	Intended use(s):				
	For wall tiling (as finishing) in interiors and/or exteriors of building structures				
3.	Manufacturer: Klinkier Przysucha S.A. 26 – 400 Przysucha Skrzyńsko ul. Przemysłowa 56				
4.	Authorised representative: Not applicable				
5.	Assessment and Verification of Constancy of Performance (AVCP) system(s): System 4				
6a.	Harmonised standard: EN 14411:2012 "Ceramic tiles – Definition, classification, characteristics, evaluation of conformity and marking" Annex C, Natural				
6b.	Technical assessment body: Not applicable Notified body (-ies): Not applicable				
	Declared performance				
	General characteristics	Performance properties	Harmonized technical specification		
	Reaction to fire	class A1			
	Water absorption	~ 3%			
	Thermal shock resistance	Yes	ar ar		
	Internal use durability	Yes			
7.	External use durability: resistance to frosting - defrosting	Yes			
	Dimension - Length and width	±2.0% to maximum ±4mm	EN 14411:2012		
	- Thickness - Squareness - Surface flatness - Curvature of sides	±10% ±1.0% ±1.5% ±1.0%			
	Surface quality	Minimum 95% tiles should not have visible defects causing deterioration of the appearance of considerable surface of tiles.			

DECLARATION OF PERFORMANCE

Bonding strength / adhesion

	- cement adhesives	NPD			
	- dispersion adhesives	NPD	EN 14411:2012		
	- reactive resin adhesive	NPD			
	- masonry mortar	NPD			
8.	Relevant technical documentation or special technical documentation: Not applicable				
Performance of the above specified product is in conformity with a set of performances declared. This performance declaration is issued in accordance with the Regulation (EU) no. 305/2011 at the exclusive liability of the above mentioned manufacturer.					
Signed on behalf of the manufacturer by :					

..... Place and date of issue

Skrzyńsko 01.05.2021

Sylwester Czubak

Head of Quality Control Department

KIEROWNIK

Działu Kontroli Jakości mgr ini, Sylwester Czubak

(signature)