

**DECLARATION OF PERFORMANCE**

**No. 502/2020 of 01.05.2021**



1.	Product type unique identification code: <b>Mass no. 3 (yellow)</b> <b>Clinker fence cladding tile</b>
2.	Intended use(s): <b>For wall cladding inside and/or outside building structures</b>
3.	Manufacturer: <b>Klinkier Przysucha S.A. 26 – 400 Przysucha Skrzyńsko ul. Przemysłowa 56</b>
4.	Authorised representative: <b>Not applicable</b>
5.	Assessment and Verification of Constancy of Performance (AVCP) system(s) : <b>System 4</b>
6a.	Harmonised standard: <b>EN 14411:2012 „Ceramic tiles – Definition, classification, characteristics, evaluation of conformity and marking” Annex C, Natural</b>
6b.	Technical assessment body: <b>Not applicable</b> Notified body (-ies): <b>Not applicable</b>

<b>Declared performance</b>		
<b>General characteristics</b>	<b>Performance properties</b>	<b>Harmonized technical specification</b>
<b>Reaction to fire</b>	class A1	<b>EN 14411:2012</b>
<b>Water absorption</b>	below 6%	
<b>Thermal shock resistance</b>	Yes	
<b>Internal use durability</b>	Yes	
<b>External use durability: resistance to frosting - defrosting</b>	Yes	
<b>Dimension</b> - Length and width	±2.0% to maximum ±4mm	
- Thickness - Squareness - Surface flatness - Curvature of sides	±10% ±1.0% ±1.5% ±1.0%	
<b>Surface quality</b>	Minimum 95% tiles should not have visible defects causing deterioration of the appearance of considerable surface of tiles.	<b>EN 14411:2012</b>
<b>Bonding strength / adhesion</b> - cement adhesives - dispersion adhesives - reactive resin adhesive - masonry mortar	NPD NPD NPD NPD	

8. Relevant technical documentation or special technical documentation: **Not applicable**

Performance of the above specified product is in conformity with a set of performances declared. This performance declaration is issued in accordance with the Regulation (EU) no. 305/2011 at the exclusive liability of the above mentioned manufacturer.

Signed on behalf of the manufacturer by :  
**Sylwester Czubak**  
Head of Quality Control Department

**KIEROWNIK**  
Działu Kontroli Jakości

*mgr. inż. Sylwester Czubak*  
(signature)

Skrzyńsko 01.05.2021

.....  
Place and date of issue